


SAFETY DATA SHEET		PR/EOHD/OHS/F-310	
PRODUCT NAME : LOW DENSITY POLYETHYLENE			بترو رابغ Petro Rabigh
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 1 of 9	

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier	
Product Name:	Low Density Polyethylene
Other/Generic Names:	LDPE
Grades:	L705, G201, F210-3 E1970, M1920, F2325S
REACH Registration Number:	Not applicable
EC Number:	None
CAS Number:	9002-88-4
Molecular formula:	-
Molecular Structure:	
Molecular weight range:	-

1.2 Relevant identified uses of the substance or mixture and uses advised against

IDENTIFIED USES: Plastic moulding Extruding
MOST COMMON TECHNICAL FUNCTION OF SUBSTANCE (WHAT IT DOES): Construction, automotive, kitchen products
USES BY CONSUMERS ADVISED AGAINST Final product.

1.3 Manufacturer or supplier's details

Manufacturer	Rabigh Refining and Petrochemical Company		
Address	PLANT PO Box 101, Rabigh 21911, Kingdom of Saudi Arabia Tel: +966 12 425 0390 Free Number: 800 440 9000		
E-mail address of person responsible for this SDS	stephane.dallaire@petrorabigh.com		
Emergency telephone numbers (24-hour)	Asia Pacific (except China):	CareChem 24 +65 3158 1074	English, Cantonese, Indonesian, Japanese, Korean, Malay, Mandarin, Thai, Vietnamese
	China (Off-land):	CareChem 24 +86 512 8090 3042	English, Mandarin
	US, Canada: Outside above area:	ChemTrec 1-800-424-9300 +703-527-3887	English
	Europe, America, Middle East, Africa (Europe & English Speaking):	CareChem 24 +44 (0) 1235 239 670	English, Albanian, Bulgarian, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serb-Croat, Slovak, Spanish, Swedish, Turkish, Ukrainian
	Middle East & Africa (Arabic speaking):	CareChem 24 +44 (0) 1235 239 671	English, Arabic, French

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture

Product Definition:	Low Density Polyethylene
Classification according to Directive 67/548/EEC [DSD]:	This substance is not classified as dangerous according to this Directive.

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 2 of 9	

2.2 Label elements	
Hazard pictograms (Labelling according Regulation (EC) No 1272/2008):	Not a hazardous substance or mixture according to this Regulation.
Signal word:	Notice
Hazard statements:	Not applicable
Precautionary statements	<p>Prevention: Not applicable</p> <p>Response: Not applicable</p> <p>Storage: Not applicable</p> <p>Disposal: Not applicable.</p>
Special packaging requirements	
Containers to be fitted with child-resistant fastenings:	Not applicable
Tactile warning of danger:	Not applicable
2.3 Other hazards	
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII:	Not applicable
Substance meets the criteria for vpvB according to Regulation (EC) No. 1907/2006, Annex XIII:	Not applicable
Other hazards which do not result in classification:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Classification of the substance or mixture					
Substance/mixture					
Product / Ingredient name	Identifiers	Wt%	Classification		
			Directive 1999/45/EC	Regulation (EC) No. 1272/2008 [CLP/GHS]	Type
Ethylene Homo-Polymer	EC: Not provided CAS: 9002-88-4	>97.0%	This substance is not classified as dangerous	Not a hazardous substance	[A]
Additives	Not available	0-3.0%	This substance is not classified as dangerous	Not a hazardous substance	[C]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[A] Constituent; [B] Impurity; [C] Stabilizing additive; Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Apply artificial respiration if victim is not breathing. Rinse nose, mouth and throat with water. Keep victim warm with a blanket etc. Get immediate medical advice/attention. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Skin contact	Remove/take off immediately contaminated clothing and shoes. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Burns (in contact with molten product or heated product): Immediately immerse in large amount of cold water, or flush with large amounts of water the affected area to dissipate heat. While flushing, remove clothes which do not adhere to affected area. Cover with clean cotton sheeting or gauze. Get immediate medical advice/attention.
Eye contact	Do not rub eye. Hold eyelids apart. Begin to rinse with water as soon as possible and rinse cautiously for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Burns (in contact with molten product or heated product) : Immediately immerse in large amount of cold water, or flush with large amounts of water the affected area to dissipate heat.
Ingestion	Rinse mouth. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Keep victim warm with a blanket etc. Get immediate medical advice/attention. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Administer oxygen if breathing is difficult. Apply artificial respiration if victim is not breathing.

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 3 of 9	

Protection of first-aiders	Use personal protective equipment as required.
4.2 Most important symptoms and effects, both acute and delayed	
Potential acute and delayed health effects	
Inhalation	Irritation of nasal and pharyngeal mucosae.
Skin contact	Mild skin irritation. Refer to section 2.2
Eye contact	Mild eye irritation. Refer to section 2.2
Ingestion	Ingestion (If swallowed): Vomiting .
Over-exposure signs/symptoms	
Eye contact	No specific data available
Inhalation	No specific data available
Skin contact	No specific data available
Ingestion	No specific data available
4.3 Indication of any immediate medical attention and special treatment needed	
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if eyes were exposed to large quantities or large quantities have been ingested or inhaled. Use PPE such as gloves, goggles and masks.
Specific treatments	No specific information

SECTION 5: Firefighting measures	
5.1 Extinguishing media	
Suitable extinguishing media	Small fires: Dry chemical powder, carbon dioxide, water spray, regular foam Large fires: Water spray, fog, regular foam Surrounding fires: Appropriate extinguishing media.
Unsuitable extinguishing media	High pressure water streams.
5.2 Special hazards arising from the substance of mixture	
Hazards from the substance or mixture	For large fires, withdraw from fire area and let fire burn. Contact may cause burns to skin and eyes. Containers may explode when heated. Runoff and fire-control water may pollute waterways. Risk of fire and explosion on contact with incompatible material(s).
Hazardous thermal decomposition products	Fumes produced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural/synthetic materials, must be considered toxic.
5.3 Advice for firefighters	
Special protective actions for fire-fighting	If possible, fight fire from protected position. Keep upwind. Keep unauthorized personnel away. If possible, remove containers exposed to heat or cool with water. Do not scatter spilled material with high pressure water streams. Dike fire water for later disposal; do not spread the material. Do not get water inside container or in contact with the material. Prepare appropriate extinguishing agent. (See "5. Fire-fighting measures"). For large spill, consider initial downwind evacuation for proper distance. Prevent dust cloud or/and dust accumulation.
Specific protective equipment for fire-fighting	Wear regional, national, and local standards approved fire fighting turnout gear and positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection from heat, and may not provide adequate protection from the harmful vapors or liquids.

SECTION 6: Accidental release measure	
6.1 Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	Wear appropriate protective equipment. Use personal protection recommended in "8. Exposure control/personal protection". Keep unauthorized personnel away. Isolate spill or leak area for proper distance in all directions. Provide adequate ventilation. Keep upwind. Do not touch or walk through spilled material.
6.2 Environmental precautions	
Prevent entry spilled material and runoff from spillage control into waterways, sewers, basements or confined areas. Avoid release to the environment.	

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 4 of 9	

6.3 Methods and materials for containment and cleaning up	
Small spill	Stop leak if without risk. Move containers from spill area. Mop up and place in an appropriate and properly labeled waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Consider initial downwind evacuation for proper distance. ELIMINATE all ignition sources such as heat/sparks/open flames/hot surfaces/static discharges. Consult an expert. Use explosion-proof electrical equipment and lighting. Stop leak if possible without any risk. Use clean non-sparking tools. Collect scattered product into sealable containers. Collect fine substance by dust explosion-proof cleaner to prevent scatter. Moist particle solid at first to prevent scattering if appropriate. See "13. Disposal considerations".
6.4 Reference to other sections	
See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage	
<i>The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).</i>	
7.1 Precautions for safe handling	
Protective measures	Use only outdoors or in a well-ventilated area or ventilate by appropriate methods. Do not breath powder, dust, shavings, borings, turnings or cuttings. As fine particle and powder generated by pneumatic conveying, shavings and turnings are dust explosive, take the following precautionary measures: Prevent dust cloud and dust accumulation. If above mentioned precautions are impossible, consult expert of a specialized company.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	
No smoking. Keep containers tightly closed. Well ventilate by proper manner according to regional, national and local regulations. Protect against direct sunlight. Store in a dry place. Keep in a fire-proof designed place. Keep away from incompatible materials. See "10. Stability and reactivity". Keep away from food and feedstuffs. Store locked up. All containers shall be properly labeled.	
7.3 Specific end use(s)	
Recommendations	Ventilate by appropriate method. (See "8. Exposure control/personal protection"). Install appropriate equipment and wear appropriate protective clothing. (See "8. Exposure control/personal protection") Use personal protective equipment as required. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands and face thoroughly after handling. Eating, drinking and smoking in work areas is prohibited. Contaminated work clothing should not be allowed out of the workplace.
Industrial sector specific solutions	No specific information available.

SECTION 8: Exposure controls/personal protection				
<i>The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).</i>				
8.1 Control parameters				
<u>Occupational exposure limits</u>				
Substance	Form	TWA	STEL	Reference
Ethylene Home-polymer	Dust	3 mg/m ³ (Respirable)	-	ACGIH
	Dust	10 mg/m ³ (total)	-	ACGIH
Recommended monitoring procedures				
If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.				

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 5 of 9	

Derived No Effect Levels (DNEL): No information is available

Product/ingredient name	Exposure	Value	Population	Effects
Ethylene Homo-Polymer	No information available	-	-	-

Predicted No Effect Concentrations (PNEC): No information is available

Product/ingredient name	Compartment Details	Value	Method Detail
Ethylene Homo-Polymer	No information available	-	-

8.2 Exposure controls

Appropriate engineering controls	If user operations generate dust, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Individual protection measures	
Hygiene measures:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mist, gases or dusts. Recommended: safety glasses with side-shields
Skin protection	
Hand protection:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this are necessary. For 8-hour full or splash contact with the material, use gloves made of butyl rubber with minimum layer thickness of 0.3 mm.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. If used in solution, or mixed with other substances, contact suppliers of approved gloves and skin protection. This is only advisory and must be evaluated on a case-to- case basis by specialists.
Respiratory protection:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary or as backup to engineering controls. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: organic vapor filter (Type A)
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state:	Solid in pellet form
Color:	White or milky white
Odor:	None
Odor threshold :	Not applicable
pH:	No data available
Melting point/freezing point range:	No data available
Boiling point:	No data available
Flash point:	No data available
Evaporation rate (Butyl acetate=1.0):	Not applicable

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 6 of 9	

Flammability (solid, gas):	
Burning time:	No data available
Burning rate:	No data available
Upper/lower flammability or explosive limits:	Lower: 15 g/m ³ (average particle diameter=24 µm) Upper: 30 g/m ³ (average particle diameter=105 µm)
Vapor Pressure:	No data available
Vapor Specific Gravity (Air=1):	No data available
Specific gravity (water =1.0)	0.915-0.930 at 25 °C
Solubility(ies):	Insoluble in water.
Partition coefficient; n-octane/water:	No data available
Auto-ignition temperature:	>349 °C
Decomposition temperature:	No data available
Viscosity:	Not applicable
Explosive properties:	No data available
Oxidizing properties:	No data available
9.2 Other information	
None	

SECTION 10: Stability and reactivity
10.1 Reactivity
No specific test data related to reactivity available for this product.
10.2 Chemical stability
The product is stable under recommended storage conditions. When heated, decomposition gases may form explosive mixtures with air.
10.3 Possibility of hazardous reactions
Classification not possible
10.4 Conditions to avoid
Keep away from ignition sources, heat, sparks and flame, hot surfaces, accumulation of static electricity.
10.5 Incompatible materials
Oxidizing agents.
10.6 Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon monoxide and hydrocarbons may be generated by heat.

SECTION 11: Toxicological information																		
11.1 Information on toxicological effects																		
<table border="1"> <thead> <tr> <th>Acute Toxicity:</th> <th>Product / Ingredient name</th> <th>Result</th> <th>Species</th> <th>Dose</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Ethylene Homo-Polymer</td> <td>Oral LD50</td> <td>No data available</td> <td>-</td> <td>-</td> </tr> <tr> <td>Dermal No data available</td> <td>No data available</td> <td>-</td> <td>-</td> </tr> <tr> <td>Inhalation LC50</td> <td>No data available</td> <td>-</td> <td>-</td> </tr> </tbody> </table>	Acute Toxicity:	Product / Ingredient name	Result	Species	Dose	Ethylene Homo-Polymer	Oral LD50	No data available	-	-	Dermal No data available	No data available	-	-	Inhalation LC50	No data available	-	-
Acute Toxicity:	Product / Ingredient name	Result	Species	Dose														
Ethylene Homo-Polymer	Oral LD50	No data available	-	-														
	Dermal No data available	No data available	-	-														
	Inhalation LC50	No data available	-	-														
Irritation/Skin Corrosivity:	No data available	-	-	-														
Irritation/Eye Corrosivity:	No data available	-	-	-														
Sensitization (Respiratory):	No data available	-	-	-														
Sensitization (Skin):	No data available	-	-	-														
Mutagenicity:	No data available	-	-	-														
Carcinogenicity:	IARC: Group 3	-	-	-														
Reproductive toxicity (Teratogenicity):	No data available	-	-	-														
Specific target organ toxicity STOT (single exposure):																		
	No data available	-	-	-														

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 7 of 9	

Specific target organ toxicity STOT (repeated exposure):				
	NOAEL	No data available	-	-

SECTION 12: Ecological information

12.1 Toxicity					
Acute Toxicity:		Product / Ingredient name	Result	Species	Dose
Ethylene	Fish	No data available	-	-	-
HomoPolymer	Crustacea	No data available	-	-	-
	Algae	No data available	-	-	-
Chronic Toxicity:					
Persistence/Durability:		No data available	-	-	-
Bioaccumulative potential:		No data available	-	-	-
Mobility in soil					
Product/ingredient name			Result		
Ethylene Homo-Polymer			None		
12.2 Persistence and degradability					
Conclusion/summary:	Readily biodegradable (OECD Test Guideline 301B)				
12.3 Bioaccumulative potential					
Conclusion/summary:	No information available				
12.4 Mobility in soil					
Conclusion/summary:					
12.5 Results of PBT and vPvB assessment					
Not considered either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative at levels of 0.1% or higher					
12.6 Other adverse effects					
No known significant effects or critical hazards.					

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal:	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste:	The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal:	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions:	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 8 of 9	

SECTION 14: Transport information				
	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	None	None	None	None
14.2 UN proper shipping name	None	None	None	None
14.3 Transport hazard class(es)	None	None	None	None
14.4 Packing group	None	None	None	None
14.5 Environmental hazards	None	None	None	None
14.6 Special precautions for user	Not available	Not available	Not available	Not available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	None	None	None	None

SECTION 15: Regulatory information	
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
<u>EU Regulation (EC) No. 1907/2006 (REACH)</u>	
<u>Annex XIV - List of substances subject to authorization</u>	
<u>Substances of very high concern</u>	
No data available	
<u>Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:</u>	
No data available	
<u>Other EU regulations</u>	
Europe inventory:	All components are listed or exempted.
Black List Chemicals:	Not listed
Priority List Chemicals:	No data available
Integrated pollution prevention and control list (IPPC) - Air:	No data available
Integrated pollution prevention and control list (IPPC) - Water:	No data available
<u>International regulations</u>	
Chemical Weapons Convention List Schedule I Chemical:	Not listed
Chemical Weapons Convention List Schedule II Chemicals:	Not listed
Chemical Weapons Convention List Schedule III Chemicals:	Not listed
15.2 Chemical Safety Assessment	
This product contains substances for which Chemical Safety Assessments are still required.	

SECTION 16: Other information	
<u>Indicates information that has changed from previously issued version.</u>	
Abbreviations and acronyms:	None
<u>Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]:</u> Not applicable	
Full text of abbreviated H statements:	Not applicable
Full text of classifications[CLP/GHS]:	Not applicable
Full text of abbreviated R phrases:	Not applicable
Full text of classifications[DSD/DPD]:	Not applicable
Revision	1.4
Date of issue/ Date of revision	01/08/2019
Date of previous issue:	10/31/2018

Conform to Regulation (EC) No. 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), Annex II -Europe

SAFETY DATA SHEET		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
PRODUCT NAME : LOW DENSITY POLYETHYLENE			
Reference No. SDS-09-0040	Revision No. 1.4 January 8, 2019	Page 9 of 9	

DISCLAIMER:

The information is based on our current and best knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Petro Rabigh makes no warranty of any kind, expressed or implied, regarding the accuracy of these data. Petro Rabigh assumes no responsibility for injury from the use of the product described herein.